

Table 9

PICKUP, COMPACT, REGULAR CAB, 4X2

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

Item # 60 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD RANGER	GM S10
BODY/CHASSIS			
MFG. MODEL CODE		R10	CS10603
PAYLOAD min. kg. (lbs.)	499 (1100)	1226	1100
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	1904 (4200) / 1995 (4400)	4360	4200
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.7 (5.8)	6	6.5
WHEEL BASE min. cm. (in.)	275 (108)	112	108.3
ENGINE			
ENGINE TYPE (Cylinder/Liter)	4 / 2.2	4 / 2.3	4 / 2.2
HORSEPOWER (min.)	120	135	120
TORQUE (ft.-lb.)	140	153	140
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.1	4.1
ELECTRICAL			
ALTERNATOR min. (Amps)	95	95	100
BATTERY min. (CCA)	525	540	525
EXTERIOR			
BODY STYLE	smooth side	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
DOORS			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
FUEL			
FUEL CAPACITY min. Liters (gals.)	60 (16)	16.5	18
INTERIOR			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply
SEATS			
SEATING CAPACITY	3	3	3
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	15	15	15
TIRES	P205/R/AS	P225/AS	P205/R/AS
TOWING			
REAR BUMPER	step type w/ RH1 provisions	comply	comply

Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X2

Item # 60 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD RANGER	GM S10
LB	PICKUP LONG BED	N/A	Available
ENGINE			
E2	UPGRADED 6 CYLINDER ENGINE Eng-Cyl/HP/Torque	Available 6/3.0,154,180	Available 6/4.3,190,250
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
BL	BED LINER	Available	N/A
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	N/A	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	N/A	Available
CM	CARPETED FLOOR COVERING	N/A	Available
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



TABLE 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X2

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

Item # 61 - 4X2

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
BODY/CHASSIS		DAKOTA	RANGER	S10
MFG. MODEL CODE		AN1H61	R10	CS10603
PAYLOAD min. kg. (lbs.)	590 (1300)	1300	1600	1260
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2040 (4500) / 2335 (5150)	5000	4700	4600
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.7 (5.8)	6.5	7	6
WHEEL BASE min. cm. (in.)	275 (108)	111.9	118	108.3
ENGINE				
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9	6/4.0	6/4.3
HORSEPOWER (min.)	175	175	207	180
TORQUE (ft.-lb.)	225	225	238	245
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55	3.55	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	95	136	95	100
BATTERY min. (CCA)	525	750	540	525
EXTERIOR				
BODY STYLE	smooth side	comply	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
DOORS				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left only	left and right	left and right
FUEL				
FUEL CAPACITY min. Liters (gals.)	68 (18)	20	20	18
INTERIOR				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm cass w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply	comply
SEATS				
SEATING CAPACITY	3	3	3	3
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	16	15	15
TIRES	P205/R/AS	P215/R/AS	P225/AS	P205/R/AS
TOWING				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

TABLE 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X2

Item # 61 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA	FORD RANGER	GENERAL MOTORS S10
BODY/CHASSIS				
LB	PICKUP LONG BED	N/A	Std	Available
ENGINE				
EH	ENGINE BLOCK HEATER	Available	Available	Available
TRANSMISSION				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
DRIVE AXLE				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Std
EXTERIOR				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
BL	BED LINER	Available	Available	N/A
INTERIOR				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	N/A	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	N/A	Available
SK	METRIC ODOMETER	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	N/A	Available
CM	CARPETED FLOOR COVERING	Available	N/A	Available
SEATS				
SF	SPLIT FRONT BENCH SEAT	Available	Std	Std
RECEIVER HITCH				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
DELIVERY				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X2

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

Item # 62 - 4x2

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN1H61
PAYLOAD min. kg. (lbs.)	954 (2103)	2103
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900) / 2721 (6000)	5900
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.9 (6.5) min	6.5
WHEEL BASE min. cm. (in.)	111.9	111.9
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	136	175
TORQUE (ft.-lb.)	225	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92
ELECTRICAL		
ALTERNATOR min. (Amps)	117	136
BATTERY min. (CCA)	600	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
DOORS		
DOORS	2	2
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass	am/fm cass w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
SEATS		
SEATING CAPACITY	3	3
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	16
TIRES	215/R/AS	P235/R/AS
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X2

Item # 62 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X4

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

Item # 66 - 4X4

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA	FORD RANGER
BODY/CHASSIS			
MFG. MODEL CODE		AN5H61	R11
PAYLOAD min. kg. (lbs.)	571 (1,260)	1328	1194
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2,086 (4,600) / 2,494 (5,500)	5400	4700
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.7 (5.8)	6.5	6
WHEEL BASE min. cm. (in.)	275 (108)	111.9	112
ENGINE			
ENGINE TYPE (Cylinder/Liter)	6/3.0	6/3.9	6/3.0
HORSEPOWER (min.)	150	175	150
TORQUE (ft.-lb.)	180	225	180
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92	4.1
ELECTRICAL			
ALTERNATOR min. (Amps)	95	136	95
BATTERY min. (CCA)	540	750	540
EXTERIOR			
BODY STYLE	smooth side	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi- speed w/washers	comply	comply
SKID PLATE	req	comply	comply
DOORS			
DOORS	2	2	2
KEYED DOOR LOCKS		left only	left and right
FUEL			
FUEL CAPACITY min. Liters (gals.)	60 (16)	20	16.5
INTERIOR			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm cass w/clock	am/fm/cd w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply
SEATS			
SEATING CAPACITY	3	3	3
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std	automatic	automatic
WHEEL DIAMETER	15	16	16
TIRES	P235/R/AT	P265/R/AT	P245/AT
TOWING			
REAR BUMPER	step type w/ RH1 provisions	comply	comply

Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X4

Item # 66 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA	FORD RANGER
ENGINE			
E3	UPGRADED 8 CYLINDER ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	8/4.7,235,300	N/A,N/A,N/A
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A
EXTERIOR			
BL	BED LINER	Available	Available
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	N/A
CM	CARPETED FLOOR COVERING	Available	N/A
SEATS			
SF	SPLIT FRONT BENCH SEAT	Available	Std
TIRES AND WHEELS			
AS	ALL SEASON TIRES	Available	N/A
TOWING			
FTH	FRONT TOW HOOKS	N/A	Std
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X4

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

Item # 67 - 4x4

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN5H61
PAYLOAD min. kg. (lbs.)	831 (1832)	1832
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900)/ 2721 (6000)	5900
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.9 (6.5)	6.5
WHEEL BASE min. cm. (in.)	284 (112)	111.9
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	175	175
TORQUE (ft.-lb.)	225	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92
ELECTRICAL		
ALTERNATOR min. (Amps)	136	136
BATTERY min. (CCA)	600	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
DOORS		
DOORS	2	2
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass	am/fm cass w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
SEATS		
SEATING CAPACITY	3	3
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	15	16
TIRES	235/R/AT	P245/R/ O/O
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 9 - CONTINUED

PICKUP, COMPACT, REGULAR CAB, 4X4

Item # 67 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
AS	ALL SEASON TIRES	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 10

PICKUP, COMPACT, EXTENDED CAB, 4X2

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 3 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of one (1) passenger shall be provided.

Item # 60C - 4x2

GSA COMPONENTS	GSA MIN. REQ.	GM S10
BODY/CHASSIS		
MFG. MODEL CODE		CS10653
PAYLOAD min. kg. (lbs.)	567 (1250)	1250
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	1995 (4400) / 2086 (4600)	4600
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.7 (5.9)	6
WHEEL BASE min. cm. (in.)	309 (122)	122.9
ENGINE		
ENGINE TYPE (Cylinder/Liter)	4 / 2.2	4/2.2
HORSEPOWER (min.)	120	120
TORQUE (ft.-lb.)	140	140
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.1
ELECTRICAL		
ALTERNATOR min. (Amps)	100	100
BATTERY min. (CCA)	525	525
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
DOORS		
DOORS	3	3
KEYED DOOR LOCKS		left and right
FUEL		
FUEL CAPACITY min. Liters (gals.)	68 (18)	18
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
SEATS		
SEATING CAPACITY	2	4
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P205/R/AS	P205/R/AS
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X2

Item # 60C - OPTIONAL EQUIPMENT

		GM S10
ENGINE		
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5-SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Std
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
LDR	REAR CAB ACCESS DOOR	Std
INTERIOR		
SK	METRIC ODOMETER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
PWL	POWER WINDOWS AND DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Std
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



TABLE 10- CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X2

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 2 doors and 4 windows per side. A rear seating arrangement in the cab for a minimum of one (1) passenger shall be provided.

Item # 61C - 4X2

		DAIMLER CHRYSLER DAKOTA	FORD RANGER	GENERAL MOTORS S10
BODY/CHASSIS				
MFG. MODEL CODE		AN1M31	R44	CS10653
PAYLOAD min. kg. (lbs.)	499 (1100)	1422	1260	1100
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	1995 (4400) / 2222 (4900)	5350	4740	4600
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.7 (5.9)	6.5	6	6
WHEEL BASE min.cm.(in.)	309 (122)	130.9	126	122.9
ENGINE				
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9	6/4.0	6/4.3
HORSEPOWER (min.)	175	175	207	180
TORQUE (ft.-lb.)	225	225	238	245
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55	3.55	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	95	136	95	100
BATTERY min. (CCA)	525	750	540	525
EXTERIOR				
BODY STYLE	smooth side	comply	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
DOORS				
DOORS	2	2	4	3
KEYED DOOR LOCKS		left only	left and right	left and right
FUEL				
FUEL CAPACITY min. Liters (gals.)	68 (18)	20	19.5	18
INTERIOR				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm cass w/clock	am/fm/cass/ CD w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	carpeting	comply	comply	comply
SEATS				
SEATING CAPACITY	4 minimum	5	5	4
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	16	15	15
TIRES	P195/R/AS	P215/R/AS	P225/AS	P205/R/AS
TOWING				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X2

Item # 61C - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA	FORD RANGER	GENERAL MOTORS S10
ENGINE				
E3	UPGRADED 8 CYLINDER ENGINE	Available	N/A	N/A
	Eng-Cyl/HP/Torque	8/4.7,235,300	N/A	" "
E85	ETHANOL FLEXIBLE FUEL	N/A	Available	N/A
EH	ENGINE BLOCK HEATER	Available	Available	Available
TRANSMISSION				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	Available
DRIVE AXLE				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Std
EXTERIOR				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
BL	BED LINER	Available	Available	N/A
DLDR	DELETE REAR CAB ACCESS DOOR	Std	N/A	N/A
INTERIOR				
AP	ADJUSTABLE OPERATING PEDALS	N/A	N/A	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Std	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std	Available
SK	METRIC ODOMETER	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Std	N/A
RF	VINYL FLOOR COVERING	N/A	N/A	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Std	Available
CM	CARPETED FLOOR COVERING	Std	Std	Available
SEATS				
BF	BENCH FRONT SEAT	Available	N/A	N/A
RECEIVER HITCH				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
DELIVERY				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X2

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 2 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of one (1) passenger shall be provided.

Item # 62C - 4x2

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN1M31
PAYLOAD min. kg. (lbs.)	849 (1872)	1872
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900)/ 2721 (6000)	5900
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.9 (6.5)	6.5
WHEEL BASE min. cm. (in.)	130.9	130.9
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	136	175
TORQUE (ft.-lb.)	750	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92
ELECTRICAL		
ALTERNATOR min. (Amps)	117	136
BATTERY min. (CCA)	600	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
DOORS		
DOORS	2	2
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm cassette w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
SEATS		
SEATING CAPACITY	4	6
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	16
TIRES	P235/R/AS	P235/R/AS
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X2

Item # 62C - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Std
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 10- CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X4

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 2 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of one (1) passenger shall be provided.

Item # 66C - 4X4

		DAIMLER CHRYSLER DAKOTA	FORD RANGER	GENERAL MOTORS S10
BODY/CHASSIS				
MFG. MODEL CODE		AN5M31	R45	CT10653
PAYLOAD min. kg. (lbs.)	554 (1221)	1358	1191	1250
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2335 (5150) / 2539 (5600)	5600	5120	5150
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.7 (5.9)	6.5	6	6
WHEEL BASE min. cm. (in.)	309 (122)	130.9	126	122.9
ENGINE				
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9	6/4.0	6/4.3
HORSEPOWER (min.)	175	175	207	190
TORQUE (ft.-lb.)	225	225	238	250
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed	2 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92	4.1	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	95	136	95	100
BATTERY min. (CCA)	540	750	540	525
EXTERIOR				
BODY STYLE	smooth side	comply	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi- speed w/washers	comply	comply	comply
SKID PLATE	req	comply	comply	comply
DOORS				
DOORS	2	2	4	3
KEYED DOOR LOCKS		left only	left and right	left and right
FUEL				
FUEL CAPACITY min. Liters (gals.)	68 (18)	20	19.5	18
INTERIOR				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm/CD w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply	comply
SEATS				
SEATING CAPACITY	4	5	5	4
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
FRONT WHEEL LOCKING HUBS	OEM std	automatic	automatic	automatic
WHEEL DIAMETER	15	16	16	15
TIRES	P235/R/AT	P265/R/AT	P245/AT	P235/R/OO
TOWING				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X4

Item # 66C - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		DAKOTA	RANGER	S10
ENGINE				
E3	UPGRADED 8 CYLINDER ENGINE	Available	N/A	N/A
	Eng-Cyl/HP/Torque	8/4.7,235,300	N/A,N/A,N/A	" "
EH	ENGINE BLOCK HEATER	Available	Available	Available
TRANSMISSION				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	Available
DRIVE AXLE				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Std
EXTERIOR				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
BL	BED LINER	Available	Available	N/A
DLDR	DELETE REAR CAB ACCESS DOOR	Std	N/A	N/A
LDR	REAR CAB ACCESS DOOR	N/A	Std	Std
INTERIOR				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	N/A	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std	Available
SK	METRIC ODOMETER	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Std	N/A
RF	VINYL FLOOR COVERING		N/A	
PWL	POWER WINDOWS & DOOR LOCKS	Available	N/A	Available
SEATS				
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available	Available
RECEIVER/HITCH				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Std	Available
DELIVERY				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



Table 10- CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X4

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 2 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of one (1) passenger shall be provided.

Item # 67C - 4x4

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN5M31
PAYLOAD min. kg. (lbs.)	754 (1662)	1662
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900) 2721 (6000)	5900
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.9 (6.5)	6.5
WHEEL BASE min. cm. (in.)	332 (131)	130.9
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	175	175
TORQUE (ft.-lb.)	225	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92
ELECTRICAL		
ALTERNATOR min. (Amps)	136	136
BATTERY min. (CCA)	750	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
DOORS		
DOORS	2	2
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass	am/fm cass w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
SEATS		
SEATING CAPACITY	4	6
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	15	16
TIRES	P235/R/AT	P245/R/ O/O
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 10 - CONTINUED

PICKUP, COMPACT, EXTENDED CAB, 4X4

Item # 67C - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
RS	RECLINING BUCKET / CAPTAIN'S CHAIRS	Available
TIRES AND WHEELS		
AS	ALL SEASON	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 11

PICKUP, COMPACT, CREW CAB, 4X2

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

Item # 61E - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD SPORT TRAC
BODY/CHASSIS		
MFG. MODEL CODE		U67
PAYLOAD min. kg. (lbs.)	732 (1614)	1,614
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2267 (5000)/2585 (5700)	5,660
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.2 (4.0)	5
ENGINE		
ENGINE TYPE (cylinder/liter)	6 / 4.0	6/4.0
HORSEPOWER (min.)	210	210
TORQUE (ft.-lb.)	240	240
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	5 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	650	650
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
DOORS		
DOORS	4	4
KEYED DOOR LOCKS		left and right
FUEL		
FUEL CAPACITY min. Liters (gals.)	84 (22)	22.4
INTERIOR		
CRUISE CONTROL AND TILT STEERING	min. req	comply
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass/CD	am/fm-cass/CD/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
POWER WINDOWS & DOOR LOCKS	min.	front and rear
SEATS		
SEATING CAPACITY	5	5
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	16
TIRES	P235/R/AS	P235/R/ AS
TOWING		
REAR BUMPER	Step type w/ RH1 provisions	comply

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X2

Item # 61E - OPTIONAL EQUIPMENT

ENGINE		FORD SPORT TRAC
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
ELECTRICAL		
TCH	TONNEAU COVER	Available
EXTERIOR		
CBE	CARGO BED EXTENDER	Available
INTERIOR		
AC2	AUXILIARY REAR AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
TOWING		
FTH	FRONT TOW HOOKS	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X2

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

Item # 62E - 4X2

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN1M84
PAYLOAD min. kg. (lbs.)	769 (1695)	1695
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900)/2725 (6010)	6010
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.6 (5.3)	5.5
ENGINE		
ENGINE TYPE (cylinder/liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	175	175
TORQUE (ft.-lb.)	225	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 - speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55
ELECTRICAL		
ALTERNATOR min. (amps)	136	136
BATTERY min. (cca)	750	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
DOORS		
DOORS	4	4
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. liters (gals.)	90 (24)	24
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass.	am/fm cassette w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
SEATS		
SEATING CAPACITY	5	comply
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	16
TIRES	P235/R/AS	P235/R/AS
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X2

Item # 62E - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

Item # 66E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	GM S10
BODY/CHASSIS		
MFG. MODEL CODE		CT10643
PAYLOAD min. kg. (lbs.)	503 (1110)	1110
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2040 (4500)/2449 (5400)	5150
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.3 (4.5)	4.5
ENGINE		
ENGINE TYPE (cylinder/liter)	6 / 4.3	6/4.3
HORSEPOWER (min.)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 - speed
TRANSFER CASE	2 - speed	2 - speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (amps)	100	100
BATTERY min. (cca)	525	525
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
EXTERIOR		
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	N/A
DOORS		
DOORS	4	4
KEYED DOOR LOCKS		left and right
FUEL		
FUEL CAPACITY min. liters (gals.)	64 (17)	17.5
INTERIOR		
CRUISE CONTROL AND TILT STEERING	min.	comply
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass/CD	AM/FM w/clock /cass/CD
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
POWER WINDOWS & DOOR LOCKS	min.	front and rear
SEATS		
SEATING CAPACITY	5	5
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std.	automatic
WHEEL DIAMETER	15	15
TIRES	P235/R/AT	P235/R/OO
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

Item # 66E - OPTIONAL EQUIPMENT

		GM S10
ENGINE		
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Std
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
INTERIOR		
SK	METRIC ODOMETER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

Item # 67E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD SPORT TRAC
BODY/CHASSIS		
MFG. MODEL CODE		U77
PAYLOAD min. kg. (lbs.)	714 (1575)	1,575
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2607 (5750)/2671 (5890)	5,840
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.2 (4.0)	5
ENGINE		
ENGINE TYPE (cylinder/liter)	6 / 4.0	6/4.0
HORSEPOWER (min.)	210	210
TORQUE (ft.-lb.)	240	240
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	5 - speed	5 speed
TRANSFER CASE	2 - speed	2 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	650	650
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply
SKID PLATE		comply
DOORS		
DOORS	4	4
KEYED DOOR LOCKS		left and right
FUEL		
FUEL CAPACITY min. liters (gals.)	84 (22)	22.4
INTERIOR		
CRUISE CONTROL AND TILT STEERING	min. req	comply
AIR CONDITIONING	am/fm w/clock/cass/CD	comply
RADIO	req	am/fm/cass/CD/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
POWER WINDOWS & DOOR LOCKS	min.	front and rear
SEATS		
SEATING CAPACITY	5	5
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OIEM std	automatic
WHEEL DIAMETER	15	16
TIRES	P235/R/AT	P255/R/AT
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

Item # 67E - OPTIONAL EQUIPMENT

		FORD SPORT TRAC
ENGINE		
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
ELECTRICAL		
TCH	TONNEAU COVER	Available
EXTERIOR		
CBE	CARGO BED EXTENDER	Available
INTERIOR		
AC2	AUXILIARY REAR AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
TIRES AND WHEELS		
AS	ALL SEASON TIRES	Std
TOWING		
FTH	FRONT TOW HOOKS	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

Item # 68E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER DAKOTA
BODY/CHASSIS		
MFG. MODEL CODE		AN5M84
PAYLOAD min. kg. (lbs.)	654 (1442)	1442
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2675 (5900)/2725 (6010)	6010
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.6 (5.3)	5.5
ENGINE		
ENGINE TYPE (cylinder/liter)	6 / 3.9	6/3.9
HORSEPOWER (min.)	175	175
TORQUE (ft.-lb.)	225	225
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 - speed
TRANSFER CASE	2 - speed	2 - speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55
ELECTRICAL		
ALTERNATOR min. (amps)	136	136
BATTERY min. (cca)	750	750
EXTERIOR		
BODY STYLE	smooth side	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply
SKID PLATE		comply
DOORS		
DOORS	4	4
KEYED DOOR LOCKS		left only
FUEL		
FUEL CAPACITY min. liters (gals.)	90 (24)	24
INTERIOR		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock/cass.	am/fm cass w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
SEATS		
SEATING CAPACITY	5	6
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	15	16
TIRES	P235/R/AT	P245/R/ O/O
TOWING		
REAR BUMPER	step type w/ RH1 provisions	comply

Table 11 - CONTINUED

PICKUP, COMPACT, CREW CAB, 4X4

Item # 68E - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER DAKOTA
ENGINE		
E3	UPGRADED 8 CYLINDER ENGINE	Available
	Eng-Cyl/HP/Torque	8/4.7,235,300
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
BL	BED LINER	Available
INTERIOR		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
SEATS		
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
AS	ALL SEASON TIRES	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available